



Frameless

- 6 Metro Deluxe★
- 8 Metro Classic*
- 10 Metro Shapes
- 12 Metro Oversize
- 14 Toring
- 14 Cameo Oval Bevel
- 15 Mirage
- 15 Sonata
- 16 Mirror-On-Mirror
- 16 Simplicity (oversized)
- 17 Styleline II*
- 17 Lafayette*
- 18 Focus*
- 18 Horizon
- 19 Quantum®
- **19** Vienna



Framed

- 20 Baker Street
- 22 Mission
- 23 Soho
- 24 Dunhill
- 25 Grant
- 25 Prairie
- **26** Canterbury
- 26 Chapel Hill
- 27 Oakdale*
- 27 Oakhill*
- 28 Grand Maple / Grand Oak
- 28 Kingston
- 29 Harmony (oversized)
- 30 Florentine
- 31 Monaco (oversized)



Specialty

- 32 Illusion
- 33 Low Profile
- 33 Avanti Corner Cabinet
- 34 Centered Corner Cabinet
- 34 Modular Shelf
- 35 Stainless Steel Body
- 35 Bel Aire Auxiliary
- 36 Cabinet 455FL•
- **36** Cabinet 555IL•
- 37 Commodore
- 38 Beauty Glide (sliding doors)
- 38 Oak Hollywood• (sliding doors)
- 39 Flair (sliding doors)
- 39 Ensign (sliding doors)

Tastes are different. Styles are different. For that matter, budgets too. That's precisely why Broan-NuTone® offers such a breadth of medicine

We have hundreds of fashionable medicine

cabinet styles, finishes and functionality. We believe you shouldn't have to compromise when it comes to expressing yourself. After all, it's your home, and how you furnish it is a direct reflection of who you are. That's why we provide choices that build on your creativity, with options and accessories that will enhance your vision. Whether you're building or remodeling, our functional, fashionable storage solutions adapt to your style and complement the way you live. We have hundreds of ideas waiting for you, including one that is perfect for your home.



Basic

- 40 Styleline
- 41 Basic Frame
- 41 Frameless Tri-View
- 42 The Prestique Series
- 43 Wood Frame with Top Light*43 Wood Frame Cabinets
- 44 Louver Door
- 44 Hideaway
- 45 Drop Door Perfume Cabinet
- 45 Perfume Medicine Cabinet
- ★ Winner of 2003 MVP Product Award, Building Products Magazine
- These cabinets include built-in lighting
- Oversized cabinets feature 24" width and 30" height dimensions





What do you need in a medicine cabinet? Perhaps it's a rich hardwood frame that complements the cabinetry in your home, or the ability to transform a simple wall into a model of organization. Maybe it's quality hinges that will hold up to the demands of a growing family, or an elegantly beveled mirror that provides a true reflection. With styles, sizes and an unsurpassed range of quality features matched to every budget, Broan-NuTone has your medicine cabinet.



Metro Deluxe



Model Number	Mirror Front	Frame Type	Door Type	Cabinet Depth	Mirror Shape	0 v	erall :	Size d	Wall w	Oper h	ning d
Metro Deluxe R	ecessed	and Surface	Mount*								
52WH244DP	Bevel	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
52WH344DP	Bevel	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4
52WH244DPF	Flat	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
52WH344DPF	Flat	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4
52WH246DP	Bevel	Frameless	Single	6	Rectangle	15	25	7	141/4	24	6
52WH346DP	Bevel	Frameless	Single	6	Rectangle	15	35	7	141/4	34	6
52WH246DPF	Flat	Frameless	Single	6	Rectangle	15	25	7	141/4	24	6
52WH346DPF	Flat	Frameless	Single	6	Rectangle	15	35	7	141/4	34	6

All measurements are in inches.

Surface Mount Side Mirror Kits (for 4" cabinet depths only)

760024 (for models 24" in height)

760034 (for models 34" in height)

Gangable Attachment Kit (for joining 2 or more cabinets in a row - see below)

76GK† (for both 24" and 34" models)

†To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged." When ganging cabinets that will be surface mounted, 1 Surface Mount Side Mirror Kit is needed for each cabinet. See Example 2. Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2 Gangable Attachment Kits.

Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, **plus** 4 Surface Mount Side Mirror Kits.



Gangable Attachment Kit(s) must be used when two or more cabinets are mounted side-by-side to ensure proper attachment and spacing. Cabinets can be "ganged" together in either recessed or surfacemount styles. Shown above, three Metro Deluxe (52WH244DP) cabinets joined by two Gangable Attachment Kits (76GK).

^{*}Only models with a 4" depth can be surface mounted and require a Surface Mount Side Mirror Kit.

Metro Classic

Like its Deluxe sibling, Metro Classic provides flexible design solutions, outstanding features, and a transitional look that fits any décor.



- **A** Metro Classic 52WH244PF (24" tall, 4" deep with flat mirror and side mirror kit 760024)
- **B** Metro Classic 52WH344P (34" tall, 4" deep with beveled mirror)

Metro Classic



Model Number	Mirror Front	Frame Type	Door Type	Cabinet Depth	Mirror Shape	0 v	erall :	Size d	Wall w	Oper h	ning d
Metro Classic S	Surface ar	nd Recessed	Mount*								
52WH244P	Bevel	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
52WH344P	Bevel	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4
52WH244PF	Flat	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
52WH344PF	Flat	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4

All measurements are in inches.

*Only models with a 4" depth can be surface mounted and require a Surface Mount Side Mirror Kit.

Surface Mount Side Mirror Kits (for 4" cabinet depths only)

760024 (for models 24" in height)

760034 (for models 34" in height)

Gangable Attachment Kit (for joining 2 or more cabinets in a row - see below)

76GK† (for both 24" and 34" models)

†To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged." When ganging cabinets that will be surface mounted, 1 Surface Mount Side Mirror Kit is needed for each cabinet. See Example 2. Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2 Gangable Attachment Kits.

Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus 4 Surface Mount Side Mirror Kits.

24" or 34" tall in 4" depth only.

Reversible installation allows right or left hand opening.

Exterior mirrors are premium float glass ensuring distortion-free viewing and a rich reflection. Available in either flat-front or beveled trim option -1/2" bevel.

Adjustable glass shelves provide superior light reflection, strength and easy cleaning. 24" models: 3 shelves, 34" models: 4 shelves.

Snap-fit shelf supports ensure shelves stay in place, but can be easily removed for cleaning.


14-1/4" wide wall openings allow for easy retrofit installations or between studs for new construction.

Fabricated steel construction features our durable rust-resistant finishing process.

Corner bumpers cushion the door for a soft, quiet close.

ISTA approved packaging provides safe shipment and handling.

125 degree concealed hinges allow wide door opening and smooth operation.



Gangable Attachment Kit(s) must be used when two or more cabinets are mounted side-by-side to ensure proper attachment and spacing. Cabinets can be "ganged" together in either recessed or surface-mount styles. Shown below, two Metro Classic (52WH244P) cabinets joined by one Gangable Attachment Kit (76GK).





Metro Octagon



Metro Arch



Note: The Arch is left-hand

opening only.

- Exterior beveled mirrors ensure a deep, distortion-free, rich reflection.
- Interior mirrors on the back of the cabinet add light and functionality.
- Adjustable glass shelves provide light reflection, strength and easy cleaning.
- Metro Arch and Octagon feature three shelves; Metro Oval features two.
- Snap-fit shelf supports ensure glass shelves stay in place, but can be easily removed for cleaning.


½" Bevel

<u>52W</u>H244PT

- 14-1/4" wide wall openings allow for easy retrofit installations or between studs for new construction.
- Fabricated steel construction features a durable rust-resistant finish.
- Corner bumpers cushion the door for a soft, quiet close.
- ISTA approved packaging provides safe shipment and handling.
- Metro Oval and Octagon may be installed for left- or right-hand door opening.

- The Arch is left-hand opening only.
- 125 degree concealed hinges on Metro Octagon and Metro Arch provide wide door opening and smooth operation.
- The Metro **Oval** features a piano hinge that opens 90 degrees.

141/4



Model	Mirror	Frame	Door	Cabinet	Mirror	0 v	verall Size		Wal	l Ope	ning	Adj.
Number	Front	Type	Type	Depth	Shape	W	h	d	W	h	d	Shelves
Metro Oval Rec	essed Mount											
52WH184PV	1" Bevel	Frameless	Single	4	Oval	211/4	311/4	4½	141/4	18	3½	2
Metro Arch Red	essed or Sur	face Mount*										
52WH244PA	½" Bevel	Frameless	Single	4	Arch	15	311/4	5	141/4	24	4	3

Octagon


Single

Frameless

^{*}Surface mount installations require a Surface Mount Side Mirror Kit, Model Number 760024. Note: All measurements are in inches.

Metro Oversize

Looking for more storage in your bathroom, but don't have much room? Do you prefer a single elegant mirror, rather than a medicine cabinet with two or three doors? If so, our Metro Oversize Series provides a tremendous amount of storage space in a simple and clean presentation. Our flat and beveled exterior mirror options will complement any décor.





Shown: Metro Oversize Classic 52WH304PF 30" H x 24" W, flat mirror, recessed





Metro Oversize



Model	Mirror	Frame	Door	Cabinet	Mirror	Ove	rall	Size	Wall	0pen	ing	Adj.
Number	Front	Type	Type	Depth	Shape	W	h	d	W	h	d	Shelves
Metro Oversize	Deluxe	20 x 25 Ove	rsize Rec	essed or S	urface Moui	ıt*						
52WH254DP	Bevel	Frameless	Single	4	Rectangle	20	25	5	191/4	24	4	4
52WH254DPF	Flat	Frameless	Single	4	Rectangle	20	25	5	191/4	24	4	4
Metro Oversize	Deluxe Bevel	24 x 30 Ove					30		221/	29	4	
52WH304DP 52WH304DPF	Flat	Frameless	Single Single	4	Rectangle Rectangle	24 24	30	5 5	23 ¹ / ₄ 23 ¹ / ₄	29	4	<u>5</u> 5
Metro Oversize												
52WH304P	Bevel	Frameless	Single	4	Rectangle	24	30	5	231/4	29	4	4
52WH304PF	Flat	Frameless	Single	4	Rectangle	24	30	5	231/4	29	4	4

^{*}Surface mount installations require a Surface Mount Side Mirror Kit. See below.

Surface Mount Side Mirror Kits

760025 (for Metro Oversize models 25" in height) 760030 (for Metro Oversize models 30" in height)

Shown: Metro Oversize Classic 52WH304PF, 30" H x 24" W

Torino



The Torino features a beveled edge and frosted cutglass arched design that's ideal over "his-and-hers" vanities or dual pedestal lavatories. Optional side light fixtures match the look with beveled-edge mirror backplates and a frosted glass shade.

Cameo Oval Bevel



The Cameo Oval brings a touch of elegance to any room. Its frameless, 1" beveled-edge premium float glass mirror is supported by heavy-gauge steel construction. Adjustable shelves and a convenient reversible door are included in this perfect complement for powder rooms and pedestal lavatories.



Shown: 73591 side light kit

Model	Frame	Door	Mirror	Ov	erall Si				ing	Si	de Lig	ht Kit	
Number	Туре	Type	Shape	W	h	d	W	h	d	Model #	W	h	d
Torino Re	cessed Mount												
5528	Frameless	Single	Arch	16½	34½	_	14	24	3½	73591*	5¾	13¾	6½
Cameo Re	cessed Mount												
1350	Frameless	Single	0val	21	31	_	14	18	3½				
1358	Frameless	Single	Oval	24	36	-	14	24	3½				

^{*} Side lights packed in pairs.

Mirage



Like a multi-faceted gemstone, the octagonal Mirage mirror is framed in a 1/2" beveled edge. Optional sidelights with clear glass shades feature the same beveled-edge mirror treatment on rectangular backplates.

Sonata



Sonata's graceful top and bottom curves combined with a 1/2" beveled-edge mirror create an elegant focal point. Matching optional side light fixtures feature a beveled-edge mirror backplate and distinctive frosted shades with chrome-plated fittings.

Model	Frame	Door	Mirror	Ove	erall Si	ze	Wa	II Oper	ning	Sic	de Lig	ht Kit	
Number	Туре	Type	Shape	W	h	d	W	h	d	Model #	W	h	d
Mirage Re	cessed Mount												
1454	Frameless	Single	Octagon	18	27	_	14	18	3½	73190*	5	12	6½
1456	Frameless	Single	Octagon	17%	32	-	14	24	3½				
Sonata Re	cessed Mount												
258	Frameless	Single	Arch	16	32	_	14	24	3½	72052*	5	17½	61/%

^{*} Side lights packed in pairs.

Mirror-On-Mirror



Contemporary Mirror-On-Mirror designs create a classic, upscale look. Both models feature a clear center mirror with a 1/2" beveled-edge grey background mirror for an all-glass, picture frame effect.

Simplicity



At times a name says everything. Simplicity unites a frameless beveled-edge mirror and a large viewing area. This oversized cabinet provides more storage room when space is at a premium.

Oversized 24" wide



Shown: 73190 side light kit

Shown: Mirror-On-Mirror 1452 with optional 73290 top light kit

Model Number	Frame Type	Door Type	Mirror Shape	Ove W	erall S h	Size d	Wall w	l Opei h	ning d	Top Model #	Ligh W	t Kit h	d	Sid Model #	e Ligl w	ht Kit h	: d
Mirror-On	-Mirror Reces	sed Mou	nt														
1450BC	Frameless	Single	Rectangle	16	26	_	14	18	3½	73290	16	4½	2	73190*	5	12	6½
1452	Frameless	Single	0val	16	26	_	14	18	3½	73290	16	4½	2	73190*	5	12	6½
Simplicity	Recessed Mo	ount, over	sized														
530924	Frameless	Single	Rectangle	24	30	4%	21½	27½	3½								

^{*} Side lights packed in pairs.

Styleline II



The Styleline II features chrome-plated steel trim on the top and bottom, with polished vertical edges. A built-in top light includes a chrome-plated steel faceplate.

Lafayette



The Lafayette offers a choice of beveled-edge mirror designs to suit your decorating preferences. Both square and radius corner styles feature built-in top lights.

Model	Frame	Door	Mirror	0 v	erall Si	ze
Number	Туре	Туре	W	h	d	
Styleline I	I Surface Mo	unt with Bu	uilt-In Top Light			
565	Chrome*	Single	Rectangle	18	28	6
Lafayette	Surface Mou	nt with Buil	lt-In Top Light			
Lafayette 1402	Frameless	nt with Buil Single	It-In Top Light Rectangle, round corner	181//	32%	4¾

Note: All measurements are in inches.

* Chrome-plated steel trim.

ė	3	2)4	7	
				ı	ı
				ı	ı
			•		

Shown: Lafayette 1462 with square corners

Focus



Simple, clean polished-edge design enables this tri-view mirror with built-in top lights to complement a wide range of decorating styles.

Horizon



Horizon features the quiet elegance of beveled-edge design. A wide selection of tri-view and single-door models with optional matching light bars make this classic model a good fit for any size room or décor.

Model	Frame	Door	Mirror	Ove	erall S	ize	Wal	l One	ning	Top	Light	Kit		Sid	e Lial	nt Kit	
Number	Туре	Туре	Shape	W	h	d	W	h	ď	Model #	W	h	d	Model #	W	h	d
Focus Rec	essed Mount	:															
1430	Frameless	Single	Rectangle	16	22	_	14	18	3½								
1433*	Frameless	Single	Rectangle	16	20	_	14	18	2½								
1438	Frameless	Single	Rectangle	16	26	_	14	24	3½								
Focus Sur	face Mount v	with Built-	In Top Light	S													
295224	Frameless	Tri-View	Rectangle	24	30	51/4	_	_	_	Built-In							
295230	Frameless	Tri-View	Rectangle	30	34	51/4	_	_	_	Built-In							
	ecessed Mou																
1451	Frameless	Single	Rectangle	16	26	_	14	18	3½	73290**	16	4½	2	73190†	5	12	6½
1453*	Frameless	Single	Rectangle	16	20	-	14	18	2½	73290**	16	4½	2	73190†	5	12	6½
_1453ADJ	* Frameless	Single	Rectangle	16	20	_	14	18	2½	73290**	16	4½	2	73190†	5	12	6½
1459	Frameless	Single	Rectangle	16	26	_	14	24	3½	73290**	16	4½	2	73190†	5	12	6½
610BC*	Frameless	Single	Rectangle	$16\frac{1}{4}$			14	18	2½	73290**	16	4½	2	73190†	5	12	6½
255024	Frameless	Tri-View	Rectangle	24	24	_	21¾		3½	H042490	24	4½	21/4	73190†	5	12	6½
255030	Frameless	Tri-View	Rectangle	30	281/4	_	27¾			H043090	30	4½	21/4	73190†	5	12	6½
255036	Frameless	Tri-View	Rectangle	36	281/4	_	33¾			H043690	36	4½	21/4	73190†	5	12	6½
255048	Frameless	Tri-View	Rectangle	48	281/4	_	45¾	24¾	3½	HO44890	48	4½	21/4	73190†	5	12	6½
Horizon S	urface Moun	t															
255224	Frameless	Tri-View	Rectangle	24	24	51/4	_	_	_	H032490	24	4½	5%				
255230	Frameless	Tri-View	Rectangle	30	281/4	51/4	_	_	_	HO33090	30	4½	5%				
255236	Frameless	Tri-View	Rectangle	36	281/4	51/4	_	_	_	H033690	36	4½	5%				
255248	Frameless	Tri-View	Rectangle	48	281/4	51/4	_	_	_	HO34890	48	4½	5%				

[†] Side lights packed in pairs. See inset photo on page 12.** See inset photo on page 12.

^{*} Molded body.

Quantum




Beveled-edge elegance with a rounded corner design makes the Quantum tri-view ideal for use with any decorative motif.

Vienna



Our economical steel-body tri-view cabinet, the Vienna, features a contemporary design framed in polished chrome-plated steel. The matching optional top light has a polished stainless steel faceplate.

Tri-view medicine cabinet mirrors open as shown below. Door configuration cannot be changed.



Model	Frame	Door	Mirror	0 v	erall Si	ze	To	p Ligh	nt Kit	
Number	Туре	Type	Shape	W	h	d	Model #	W	h	d
Quantum	Surface Mou	nt with Bu	ilt-In Top Li	ghts						
455230	Frameless	Tri-View	Rectangle	30	36½	51/4	Built-in			
455236	Frameless	Tri-View	Rectangle	36	36½	51/4	Built-in			
455248	Frameless	Tri-View	Rectangle	48	36½	5¼	Built-in			
Vienna Sı	urface Mount									
155124	Chrome*	Tri-View	Rectangle	24	26	5½	SB22529	24	4	5½
155130	Chrome*	Tri-View	Rectangle	30	26	5½	SB23129	30	4	5½

Note: All measurements are in inches.

* Chrome-plated steel trim.

Many consumers desire the storage and functionality of a medicine cabinet but want the look of a fashion frame mirror, or a simple frame and lighting. No matter the need, we have lots of ideas for you. To complement the colors, styles and textures in your home, we offer a wide selection of framed cabinets. Our rich hardwoods, contemporary metals, and ornate frames unite the architectural features and accessories in your bath or powder room.



Shown: Mission 9000C, see page 18 for details.







Baker Street



Shown: Baker Street 870 with 70373 top light kit



Shown: 824BC with 70324 top light kit



We've captured the Victorian era in our Baker Street series with distinctive and practical solutions to bathroom storage. Choose from a classic white painted hardwood, warm honey-finished solid oak, solid cherry or solid maple frames. Optional light fixtures feature frosted glass shades and bright brass fittings.

Model			Mirror	Ove	erall Si	ze	Wal	I Open	ing	To	p Light	t Kit	
Number	Type	Type	Shape	W	h	d	W	h	d	Model #	W	h	d
Baker Str	eet Recessed	l Mount											
830C	Cherry	Single	Arch	171/6	33%	_	14	24	3½				
820	White	Single	Rectangle	18	271/4	_	14	18	3½	70323	18	8	9
828	White	Single	Rectangle	18	271/4	_	14	24	3½	70323	18	8	9
824BC	Maple	Single	Rectangle	18	271/4	_	14	24	3½	70324	18	8	9
870	Honey Oak	Single	Rectangle	18	271/4	_	14	18	3½	70373	18	8	9
878BC	Honey Oak	Single	Rectangle	18	271/4	_	14	24	3½	70373	18	8	9
Baker Str	eet Surface	Mount											
822	White	Single	Rectangle	18	271/4	5	_	-	_	70223	18	8	13½
872BC	Honey Oak	Single	Rectangle	18	271/4	5	_	_	_	70273	18	8	13½
842230	White	Tri-View	Rectangle	30	28½	5½	_	-	_	BS84023	30	6	6½
842236	White	Tri-View	Rectangle	36	28½	5½	-	-	-	BS84623	36	6	6½

Mission



The Mission, in its solid cherry wood frame and rich finish, features a beveled mirror and adjustable glass shelves. It's truly affordable fashion furniture for the bath or powder room.

Model	Frame	Door	Mirror	or Overall Size		Wall Opening			
Number	Туре	Type	Shape	W	h	d	W	h	d
Mission Re	cessed Moi	unt							
9000C	Cherry	Single	Designer	17¾6	33%	-	14	24	3½

Soho



Framed in solid maple or cherry hardwoods, the Soho's transitional design works as well in a city loft as it does in a country cottage. Solid wood frames, rich wood tones, beveled mirrors and adjustable glass shelving address the needs of consumers and designers.

Model	Frame	Door	Mirror	0v	erall Siz	ze	Wal	I Oper	ning
Number	Type	Type	Shape	W	h	d	W	h	d
Soho Rece	ssed Mount								
850C	Cherry	Single	Rectangle	17¾	271/16	_	14	24	3½
850M	Maple	Single	Rectangle	17¾6	271/1/6	_	14	24	3½

Shown: Soho 850C in Cherry



Dunhill





Shown: Dunhill 1370M



Tired of square frames? Our Dunhill oval series is perfect over pedestal lavatories and could be used side-by-side over wider vanities. Whether you select the Dunhill framed in solid honey-finished oak, solid maple or in painted white wood, you'll find its simple elegance a natural fit in any bath or powder room.

Model	Frame	Door	Mirror	0 v	erall Si	ze	Wall Opening					
Number	Type	Type	Shape	W	h	d	W	h	d			
Dunhill Recessed Mount												
1370	Honey Oak	Single	Oval	21	31	-	14	18	3½			
1370M	Maple	Single	Oval	21	31	-	14	18	3½			
1370WH	White	Single	Oval	21	31	_	14	18	3½			

Grant



Looking for a classic solid oak frame for almost any bath? The Grant, with its honeyoak finish and optional oak accessory top light kit, is ideal.

Prairie



Shown: Prairie 8199-704 with 0K8199-706 top light kit



Classic design comes alive in the painted white wood or solid blond-finished oak of the Prairie. Striking when displayed alone or in pairs, the Prairie is also available in two tri-view models. Optional light fixtures feature clear glass shades and brass fittings.

Model	Frame	Door	Mirror	0 v	erall Si	ze	Wal	I Open	ing	Тор	Light	Kit	
Number	Type	Type	Shape	W	h	d	W	ĥ	d	Model #	W	h	d
Grant Rec	essed Moun	t											
8770	Honey Oak	Single	Rectangle	161/4	241/4	-	14	18	3½	74279	161/4	5½	3
8773*	Honey Oak	Single	Rectangle	16¾	22	-	14	18	2½	74279	16¾	5½	3
8778	Honey Oak	Single	Rectangle	161/4	261/4	_	14	24	3½	74279	161/4	5½	3
973BC*	Honey Oak	Single	Rectangle	16	20	_	14	18	2½	74279	16¾	5½	3
Grant Surf	ace Mount												
8772	Honey Oak	Single	Rectangle	16¾	241/4	5½							
Prairie Re	cessed Mou	nt											
8120	White	Single	Rectangle	17%	27%	-	14	18	3½	70928	17%	8	8
8128	White	Single	Rectangle	17%	27%	_	14	24	3½	70928	17%	8	8
Prairie Su	rface Mount												
8122	White	Single	Rectangle	17%	27%	-	_	-	-				
8199-703	Blond Oak	Tri-View	Rectangle	30	285/16	5½	_	_	-	OK8199-705	30	8	11
8199-704	Blond Oak	Tri-View	Rectangle	36	285/16	5½	_			OK8199-706	36	8	11

Note: All measurements are in inches.

* Molded body.

Canterbury



The traditional arch design of the Canterbury adds a touch of elegance at an affordable price point. The solid oak frame, optional top lights with glass shades and brass fittings welcome everyone to your home.

Chapel Hill



Southern charm abounds in the Chapel Hill. Unassuming in design, its solid oak, honey-finished frame features rounded-edge styling that helps soften the look of any bath or powder room.

Model	Frame	Door	Mirror	0 v	erall Si	ze	Wal	I Open	ing	To	op Ligh	t Kit	
Number	Туре	Type	Shape	W	h	d	W	ĥ	d	Model #	W	h	d
Canterbu	ry Recessed N	/lount											
8570	Honey Oak	Single	Arch	18	271/%	-	14	18	3½	76378	18	8	8
Canterbu	ry Surface Mo	ount											
8572	Honey Oak	Single	Arch	18	27%	-	-	-	-	76478	18	8	11½
Chapel Hi	II Recessed N	lount											
8278	Honey Oak	Single	Rectangle	171/4	271/4	_	14	24	3½				

0akdale



The Oakdale is a remarkably efficient cabinet. With integral lighting, installation is an easy, one-step process. Framed in solid oak with a warm honey oak finish, the Oakdale is comfortable in traditional and contemporary settings.

0akhill



Classically shaped edges and a solid oak, honey-finished frame make the Oakhill a traditional favorite. Attached top lights facilitate easier recessed or surface-mount installation, and the reflective lighting panel directs light into the room.

Model Number	Frame Type	Door Type	Mirror Shape	Ove w	rall S h	ize d	Wal w	l Openi h	ing d
Oakdale R	ecessed or S	urface Mo	unt with Bu	ilt-In To	p Lig	ht			
2072	Honey Oak	Single	Rectangle	1713/16	29	41/4	161/4	26%	3½
Oakhill Re	cessed or Si	ırface Moı	unt with Bui	lt-In To	p Lig	ht			
177924	Honey Oak	Tri-View	Rectangle	2313/16	29	41/4	22%	27⅓	3½
177930	Honey Oak	Tri-View	Rectangle	2913/16	29	41/4	28%	271/8	3½
177936	Honey Oak	Tri-View	Rectangle	3513/16	29	41/4	34%	271/8	3½
177948	Honey Oak	Tri-View	Rectangle	4713/16	29	41/4	46%	271/%	3½

Grand Maple / Grand Oak (inset)



Inset: Grand Oak 277936

Our popular tri-view medicine cabinet is now available in contemporary natural-finished solid maple and warm honey-finished solid oak. Both the Grand Maple and Grand Oak can be recessed or surface mounted.

Kingston



The Kingston's shadow box appearance is achieved with its fine solid oak frame and beveled mirror. These features add dimension to this unique cabinet, finished in a warm honey oak color. Add an optional top light that matches the cabinet when more illumination is needed.

Model	Frame	Door	Mirror	Ove	erall Si	ze	Wal	l Openi	ng	Т	op Ligh	t Kit	
Number	Type	Type	Shape	W	h	d	W	ĥ	d	Model #	W	h	d
Grand Oak	/Grand Map	le Recesse	d or Surface	Moun	t								
277936	Honey Oak	Tri-View	Rectangle	3513/16	29	41/4	34%	271/8	3½				
277948	Honey Oak	Tri-View	Rectangle	4713/16	29	41/4	46%	271/8	3½				
277936M	Maple	Tri-View	Rectangle	3513/16	29	41/4	34%	271/8	3½				
277948M	Maple	Tri-View	Rectangle	4713/16	29	41/4	46%	27%	3½				
Kingston F	Recessed Mo	ount											
8378	Honey Oak	Single	Rectangle	16½	26½	_	14	24	3½	71829	16½	5½	21/4

Harmony



The Harmony, one of our oversized cabinets, is designed for greater storage room where single door design is preferred. Its transitional chrome-tone anodized aluminum frame resists humidity and cleans easily. And its larger size brings an equally generous viewing area.

Oversized 24" wide

The fabricated metal cabinet and durable anodized aluminum frame make the Harmony a logical choice in high use bathrooms with greater storage needs.



Model	Frame	Door	Mirror	Mirror Overall Size		ze	Wal	I Openi	ning	
Number	Type	Type	Shape	W	h	d	W	h	d	
Harmony Re	ecessed Mo	unt, overs	ized							
533124	Aluminum	Single	Rectangle	24	30	5%	21½	27½	3½	

Florentine



Stately in appearance, the Florentine is ideal for the elegant powder room or traditional bath with its simulated gold leaf finish. A deep, rich reflection is provided by the 3/4" beveled-edge premium float glass mirror. Cabinets are constructed of heavy gauge steel with adjustable shelves. The optional light fixture features glass shades, brass fittings and a mirrored faceplate that complements the sophisticated style.

Model	Frame	Door	Mirror	Ove	erall Siz	ze	Wall	l O pen	ing	1	op Ligh	t Kit	
Number	Type	Type	Shape	W	h	d	W	ĥ	d	Model #	W	h	d
Florentine	Recessed M	ount											
3910	Gold Leaf*	Single	Rectangle	1715/16	2715/16	_	14	18	3½	711FG	1715/16	8	615/16
3918BC	Gold Leaf*	Single	Rectangle	1715/16	2715/16	_	14	24	3½	711FG	1715/16	8	615/16

Note: All measurements are in inches. * Gold leaf is simulated.

Monaco



The beautiful frame and oversized storage area make the Monaco a true piece of functional art for the bathroom.



The Monaco, with a gold-tone frame, is a work of art in any bath or powder room. Its sophisticated finish highlights the accents in faucets and other bathroom accessories. One of our oversized cabinets, it is designed with a larger viewing area and more storage room.

Oversized 24" wide

Model	Frame	Door	Mirror	0ν	erall Si	ize	Wall Opening				
Number	Type	Type	Shape	W	h	d	W	h	d		
Monaco R	ecessed Mou	ınt, oversiz	zed								
535224	Gold-Tone	Single	Rectangle	24	30	5%	211/	271/2	3½		
	Cald Tana	Cinala	Poctangle	2/	2 ∩	576	211/	2.	71/		

Whether you have a small space, a tight corner, or the need for storage where there's none to be found, our selection of specialty cabinets is a problem-solving showcase.

Illusion

To create the appearance of a continuous wall mirror, our recessed Illusion cabinets feature unique Eurostyle hinges that allow the door to close only 1/4" off the wall surface. It's the consummate solution to design simplicity.



The Illusion 629SS (shown above) with a fabricated stainless steel body offers a, clean sophisticated, modern look.

	50.3	
1		
	center mirror, an separately throu	sion 629 medicine cabinets with a 1/4" thick d top and side mirror panels (purchased igh your local glass company). NOTE: 1/4" e required to maintain the flush mount look

Model	Frame	Door	Mirror	Ov	erall Si	ze	Wal	l O peni	ng
Number	Type	Type	Shape	W	h	d	W	h	d
Illusion Re	ecessed Mou	nt					- /	0	
629	Frameless	Single	Rectangle	15	36	_	14	341/4	3½
629SS	Frameless	Single	Rectangle	15	36	-	14	341/4	3½
639BC	Frameless	Single	Rectangle	13	36	-	12	341/4	3½
664	Frameless	Single	Rectangle	13	36	-	12	341/4	3½

Low Profile




Looking for a solution to sidewall storage that won't get in the way? The Low Profile is a perfect solution. With the mirrored door closed, the Low Profile sits just 3/8" off the wall surface.


Avanti Corner Cabinet



To increase the perception of light and space in a small alcove, use two Avanti Corner Cabinets with a wall mirror (purchased separately) mounted in between. You'll have three way viewing, and a generous storage space in a compact area.



Top-down view of left hand Avanti 631 Corner Cabinet as shown in photo above.




Note: All measurements are in inches.

* Molded body.

 ${\sf Stainless\ Trim=Stainless\ steel\ trimmed\ frame.}$

† The	Low	Profile	663	BC	does	not	fit	flush	with	wall	mirrors




Top-down view of left hand Avanti 637 Corner Cabinet.

Centered Corner Cabinet



Aligned over a corner vanity, the Centered Corner Cabinet adds visual height to small rooms. It's ideal when storage space is in short supply.



Modular Shelf



The Modular Shelf puts an end to the problem of storing taller items and wasted space. This unique design maximizes capacity with six modular half-shelves that can be positioned in a variety of configurations. Shelves can be adjusted without tools to accommodate a broad variety of container shapes and sizes.

Model	Frame	Door	Mirror	Ov	erall S	ize	Wall Opening			
Number	Type	Type	Shape	W	h	d	W	h	d	
Centered	Corner Cabin	et Surfac	e Mount							
672BC	Honey Oak	Single	Corner Trim	19½	33½	10½				
672SS	Stainless	Single	Corner Trim	17¼	31	9%				
Modular S	Shelf Recesse	d Mount								
468M0D	Stainless	Single	Rectangle	16	26	_	14	24	3½	

Note: All measurements are in inches. Stainless = Stainless steel.

Stainless Steel Body



This easy-to-clean, corrosion-resistant single-door cabinet features high luster, stainless steel construction and a bright satin finish. Combined with a 1/2" beveled-edge door mirror, the Stainless Steel Body provides a high-tech look at a modest price.

Bel Aire Auxiliary



The Bel Aire Auxiliary provides excellent storage. Stainless steel trim on door tops and bottoms plus polished vertical mirror edges complete the classic presentation.

Shown: Bel Aire Auxiliary 625

Model	Frame	Door	Mirror	Overall Size			Wall Opening			
Number	Туре	Type	Shape	W	h	d	W	h	d	
Stainless	Steel Body Re	cessed N	lount							
1447	Frameless	Single	Rectangle	16	20	_	14	18	3½	
1448 Frameless		Single	Rectangle	16	26	_	14	24	3½	
Bel Aire A	Auxiliary Reces	sed Mou	nt							
625	Stainless Trim	Single	Rectangle	13	36	-	$11\frac{1}{4}$	33½	3½	
Bel Aire Auxiliary Surface Mount										
626	Stainless Trim	Single	Rectangle	13	36	4¾				

Note: All measurements are in inches. Stainless Trim = Stainless steel trimmed frame.

Cabinet 455FL



The Cabinet 455FL is a one-piece steel storage solution with integral fluorescent side lights, a grounded outlet and an on-off switch. If you need a timeless design, easy installation, storage and lighting, the 455FL is your answer.

Cabinet 555IL



The surface-mounted Cabinet 555IL has a stainless steel mirror frame and trim, plus a built-in light, a grounded outlet and an on-off switch.

ivioaei	Frame	Door	IVIIrror	Overali Size			wan opening			
Number	Type	Type	Shape	W	h	d	W	h	d	
Cabinet 45	55FL Recess	ed Mount	with Built-Ir	Side L	.ights					
455FL	Stainless	Single	Rectangle	20%	22¾	3¾	14	19	3⅓	
Cabinet 55	55IL Surface	Mount w	ith Built-In T	op Ligh	nt					
555IL	Stainless	Single	Rectangle	16	24	8				

Note: All measurements are in inches. Stainless = Stainless steel.

Commodore





Whether you select the convenient combination unit or individual components to suit your needs, the stainless steel Commodore guarantees durable versatility. Channeled components allow easy installation, and light fixtures include a grounded outlet and switch. Mirrors feature polished edges and copper backing. It's a classic look that's back.

Model	Frame	Door	Mirror	0v	erall S	ize	To	op Ligh	t Kit	
Number	Type	Type	Shape	W	h	d	Model #	W	h	cl
Commodor	e Combina	tion Mirro	and Cabinet							
VM224M	Stainless	Mirror	Rectangle	241/4	32	41%	_			
VM224P	Stainless	Styrene	Rectangle	241/4	32	41//				
VM230M	Stainless	Mirror	Rectangle	301/4	32	41%				
VM230P	Stainless	Styrene	Rectangle	301/4	32	41%	_			
VM236M	Stainless	Mirror	Rectangle	361/4	32	41%				
VM236P	Stainless	Styrene	Rectangle	361/4	32	41%				
Commodor	e Wall Mirr	or Only								
PEM2424	-	-	-	24	24	_	IL24	24	4	7½
PEM3024	_	_	-	30	24	_	IL30	30	4	7½
PEM3036	-	_	-	30	36	_	IL30	30	4	7½
PEM3624	-	_	-	36	24	_	_			
PEM3636	_	_	-	36	36	_	_			
PEM4824	-	_	-	48	24	_	_			
PEM4836	-	_	-	48	36	_				
PEM6036	_	_	-	60	36	_				
Commodor	e Storage (Cabinet On	ly							
V24	-	Mirror	Rectangle	241/4	8¾	41/4	IL24	24	4	7½
V30	-	Mirror	Rectangle	301/4	8¾	41/4	IL30	30	4	7½
V36	-	Mirror	Rectangle	36¾	8¾	41/4	_			
V48	-	Mirror	Rectangle	481/4	8¾	41/4	_			
Matar All		to toolean								

Note: All measurements are in inches. Stainless = Stainless steel.

Oak Hollywood

Shown: Oak Hollywood 2471IL

Beauty Glide



Beauty Glide represents functional simplicity. This polished stainless steel slider has two flat-front mirror doors, a white powder coat finish, and two adjustable shelves. If swinging doors get in the way, we have a beautiful solution.

The Oak Hollywood features a solid oak frame in a honey finish and a matching wood-tone exterior that surrounds an integral incandescent top light, a grounded outlet, an on-off switch and clear handles on sliding doors.

Model	Frame	Door	Mirror	0 v	erall Si	ze	Wal	l Openi	ng						
Number	Type	Type	Type Shape		h	d	W	h	d						
Beauty GI	ide Recessed	Mount													
SB330	Stainless	Slider	Rectangle	31%	21%	5¾	30¾	19¾	3½						
Oak Holly	Oak Hollywood Surface Mount with Built-In Top Light														
2471IL	Honey Oak	Slider	Rectangle	24¾	24½	9									
2871IL	Honey Oak	Slider	Rectangle	28¾	24½	9									

Note: All measurements are in inches. Stainless = Stainless steel.

Flair



Who says economical solutions can't come with quality? The Flair includes quality features like an incandescent built-in top light, stainless steel trim and an on-off switch. It's a self-contained, economical solution to bathroom storage and lighting necessity.

Ensign



Originally designed for Navy barracks, the Ensign is functional utility, pure and simple. It features stainless steel trim and a built-in incandescent top light, sliding doors, a convenient grounded outlet and an integral on-off switch. Easy to install and use, it will help you keep everything ship-shape.

Model	Frame	Door	Mirror	0	verall Si	ze
Number	Type	Type	Shape	W	h	d
Flair Surf	ace Mount	with Built-	In Top Light			
323LP	Stainless	Slider	Rectangle	24	19½	7½
327LP	Stainless	Slider	Rectangle	28	19½	7½
Ensign St	ırface Moun	t with Bui	lt-In Top Ligh	t		
124LP	Stainless	Slider	Rectangle	24	23½	81/4
128LP	Stainless	Slider	Rectangle	28	23½	81/4

Note: All measurements are in inches. Stainless = Stainless steel.

Sometimes expenses govern your purchase decisions. Our Basic Series is geared to this concern. Feature for feature, and dollar for dollar, you'll find the right balance of quality, style and value right here.



Styleline is all about options. It's our classic, single-door cabinet series that comes in a broad range of sizes in both steel and molded cabinet bodies.



Model	Frame	Door	Mirror	Mirror	0 v	erall Si	ze	Wa	ıll Openi	ng
Number	Type	Type	Shape	Thickness	W	h	d	W	h	d
Styleline Re	cessed Mour	nt								
401ADJ*	Stainless	Single	Rectangle	3/32	16	20	_	14	18	21/2
407ADJ*■	Stainless	Single	Rectangle	3/32	16	22	-	14	18	21/2
410BC	Stainless	Single	Rectangle	3/32	16	22	_	14	18	31/2
420BC	Stainless	Single	Rectangle	1/16	16	22	_	14	20	31/2
421BC	Stainless	Single	Rectangle	1/8	16	22	_	14	20	31/2
449BC*	Stainless	Single	Rectangle	3/32	16	22	_	14	18	21/2
458	Stainless	Single	Rectangle	1/8	16	26	_	14	24	31/
468BC	Stainless	Single	Rectangle	1∕46	16	26	-	14	24	31/
470FS**	Stainless	Single	Rectangle	3/32	16	26	-	14	24	31/
473FS**	Stainless	Single	Rectangle	3/32	16	22	-	14	18	31/
478FS**	Stainless	Single	Rectangle	1/8	16	26	-	14	24	31/
490	Stainless	Single	Rectangle	1/8	18	24	-	16	21½	31/
495	Stainless	Single	Rectangle	1/8	20	30	_	171/4	261/4	31/
624*	Stainless	Single	Rectangle	3/32	16	26	-	13%	23%	2½
■405BP Bi	ılk Packs (40	7ADJ in 2	-Pack)							
Styleline Su	ırface Mount									
422SM	Stainless	Single	Rectangle	3/32	14	20	5%			
452SM	Stainless	Single	Rectangle	3/32	16	22	4¾			
472FS**	Stainless	Single	Rectangle	3/32	16%	221//8	5			
614*	Stainless	Single	Rectangle	3∕32	16¾	221/4	41/4			
	surements are i			lded body.			.,,			

Note: All measurements are in inches Stainless = Stainless steel.

* Molded body.

** Meets Federal Spec #WW-P-541/8B.

Basic Frame



The Basic Frame is a value-packed cabinet, with molded frames in either brushed nickel finish or white. A molded polystyrene body provides efficient, corrosion-proof storage.

Frameless Tri-View



An alternative to wood or metal, the plastic body of the Frameless Tri-View is durable and easy to clean. It's packed with features usually found only on higher-end cabinets: Beveled-edge mirrors, two fixed shelves in the center section, two adjustable shelves in each side section, and even one with a built-in toothbrush holder. In its category, the Frameless is peerless.

Model	Frame	Door	Mirror	0 v	erall Siz	ze	Wall	O pen	ing
Number	Type	Type	Shape	W	h	d	W	h	d
Basic Fram	e Recessed	l Mount							
313BN	Nickel	Single	Rectangle	161//	201//8	_	14	18	2½
313WH	White	Single	Rectangle	16%	20%	-	14	18	2½

669730* Frameless Tri-View Rectangle

Note: All measurements are in inches. * M

Frameless Tri-View Surface Mount

Nickel = Brushed nickel.

301/4 241/4

Prestique — Solid Oak



Prestique — Frameless Beveled-Edge



Our versatile Wood Body cabinets feature beautiful finishes in a variety of classic designs, all with ample storage capacities.

A, B Prestique cabinets, with solid honey-finished oak or painted white wood frames, feature a matching finish on the cabinet body. A matching top light for the oak model has a brass finish on the faceplate.

C If it suits your style, go frameless. Its beveled-edge mirror provides a contemporary look, with optional top lighting to complete the appearance.

White Frame



B. Shown: Prestique 902236

Model Frame Door		Door	Mirror	0 v	erall S	ize	Top	Ligh	t Kit	
Number	Type	Type	Shape	W	h	d	Model #	W	h	d
A. Prestiq	ue Oak Surfa	ace Mount								
907224	Honey Oak	Tri-View	Rectangle	24	26	4¾				
907230	Honey Oak	Tri-View	Rectangle	30	30	4¾	CR93079	30	5%	5½
907236	Honey Oak	Tri-View	Rectangle	36	30	4¾	CR93679	36	5%	5½
907248	Honey Oak	Tri-View	Rectangle	48	30	4¾				
B. Prestiq	ue White Sui	face Mour	nt							
902224	White	Tri-View	Rectangle	24	26	4¾				
902230	White	Tri-View	Rectangle	30	30	4¾				
902236	White	Tri-View	Rectangle	36	30	4¾				
C. Prestiq	ue Frameless	Surface N	/lount							
905224	Frameless	Tri-View	Rectangle	24	26	4¾	CR92490	24	4½	5½
905230	Frameless	Tri-View	Rectangle	30	30	4¾	CR93090	30	4½	5½
905236	Frameless	Tri-View	Rectangle	36	30	4¾	CR93690	36	4½	5½
905248	Frameless	Tri-View	Rectangle	48	30	4¾	CR94890	48	4½	5½
NI 4 ALL										

Note: All measurements are in inches.

Wood Frame With Built-In Top Light



Wood Frame Cabinets





The integrated frame and the lighting system of

Shown: Wood Frame 902WH

Wood Frame cabinets offer an upscale look at an economical price. Tri-view and single-door models come in oak or white finish with a polished chrome lighting faceplate.

If you prefer the component look, Wood Frame surface-mount, tri-view and single-door cabinets are available with optional top light kits. Side panels match the frame finish for a coordinated look.

Model	Frame	Door	Mirror	Ov	erall Si	ze	Wal	I Open	ing	To	p Ligh	nt Kit	
Number	Type	Type	Shape	W	h	d	W	h	d	Model #	W	h	d
Wood Fra	me with Buil	t-In Top Li	ight Recesse	ed or S	urface	Moun	t						
9422BC	White	Single	Rectangle	1511/16	23½	41/4	14¾	22%	3½	Built-In			
942224	White	Tri-View	Rectangle	23%	28%	41/4	22%	271/4	3½	Built-In			
942230	White	Tri-View	Rectangle	29%	281//	41/4	28%	271/4	3½	Built-In			
942236	White	Tri-View	Rectangle	35%	281//	41/4	34%	271/4	3½	Built-In			
9472	Honey Oak	Single	Rectangle	1511/16	23½	41/4	14¾	22%	3½	Built-In			
947224	Honey Oak	Tri-View	Rectangle	23%	281//	41/4	22%	271/4	3½	Built-In			
947230	Honey Oak	Tri-View	Rectangle	29%	281//	41/4	28%	271/4	3½	Built-In			
947236	Honey Oak	Tri-View	Rectangle	35%	28%	41/4	34%	27¼	3½	Built-In			
Wood Fra	me Cabinets Honey Oak	Surface N Single	lount Rectangle	16	20	4¾							
902 902WH	White	Single	Rectangle	16	20	41/4							
962224	White	Tri-View	Rectangle	24	26	43/4	_	_	_	CR92425	24	5%	5½
962230	White	Tri-View	Rectangle	30	26	4¾	_	_	_	CR93025	30	5%	5½
962236	White	Tri-View	Rectangle	36	26	4¾	_	_	_	CR93625	36	5%	5½
967224	Honey Oak	Tri-View	Rectangle	24	26	4¾	_	_	_	CR92475	24	5%	5½
967230	Honey Oak	Tri-View	Rectangle	30	26	4¾		_	_	CR93075	30	5%	5½
967236	Honey Oak	Tri-View	Rectangle	36	26	4¾	_	_	_	CR93675	36	5%	5½
982	Honey Oak	Single	Rectangle	16	26	4¾							
982WH	White	Single	Rectangle	16	26	4¾							

Note: All measurements are in inches.

Louver Door



louver door is ready to be painted or stained to

not require a finish.

match your bath or powder room. Or, choose a white

molded polystyrene door (model 615 only) that does

Shown: Louver Door 602



Shown: Louver Door 615

Hideaway



The steel door of the Hideaway can be painted or storage yet are cleverly concealed. The unfinished pine wallpapered to visually blend with any wall finish. This hidden storage solution can be installed for left- or right-hand door opening, and secures with a magnetic latch.

Model	Frame	Door	Mirror	0v	erall Si	ze	Wall	O peni	ing
Number	Type	Type	Shape	W	h	d	W	h	d
Louver Do	or Recessed	Mount							
602	Unfinished	Single	Arched	16	24	_	14	18	3½
605ADJ*	Unfinished	Single	Arched	16	24	_	14	18	2½
606	Unfinished	Single	Rectangle	16	22	-	14	18	3⅓
607ADJ*	Unfinished	Single	Rectangle	16	22	_	14	18	2½
609	Unfinished	Single	Rectangle	16	26	_	14	24	3½
615*	Polystyrene	Single	Rectangle	16¼	24½	-	14	18	2½

161/4

21%

14

18

33/4

Rectangle

Frameless Note: All measurements are in inches.


Single

Hideaway Recessed Mount

* Molded body.

Drop Door Perfume Cabinet





The Drop Door Perfume Cabinet is an attractive way to display small perfume vessels or other unique collectibles. The drop door features a stenciled pattern panel with a 3/4" bevel, and mirrored upper doors with a matching 3/4" beveled edge. Two adjustable shelves let you customize storage to suit your needs. For an elegant finishing touch, brass hinges, knobs and shelf supports provide just the right complement to your bath or powder room accessories.

Perfume Medicine Cabinet





Add style and variety to any bath or powder room with a distinctive two-compartment Perfume Medicine Cabinet. The vertical compartment features a clear, beveled-edge glass window with a delicate stenciled pattern. It's perfect for displaying designer fragrances and colorful beauty items on three generous shelves. The large compartment features a framed, beveled-edge mirrored door and two shelves. Brass hardware finishes the cabinet handsomely.

Model Number	Frame Type	Door Type	Mirror Shape	Ov w	erall Si h	ize d	Wal w	l Openi h	ing d					
Drop Doo	r Perfume C	abinet Recess	sed or Surfa	ce Moi	unt									
9873	White	2-Door, Drop	Rectangle	301/4	29%	4¾	28%	27¾	3½					
9877	Honey Oak	2-Door, Drop	Rectangle	301/4	29%	4¾	28%	27¾	3½					
Perfume	Perfume Medicine Cabinet Recessed or Surface Mount													
972225	White	2-Door	Rectangle	25½	28	4½	241/4	26½	3½					
977225	Honey Oak	2-Door	Rectangle	25½	28	4½	241/4	26½	3½					

Note: All measurements are in inches.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ove w	rall Si h	ize d	Mount Type ²	Wal w	l Oper h	ning d	Hinge Type ³	Single Door Hinge ⁴	Cab Bdy ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
124LP ⁸	39	Ensign	Stainless Steel Trim	SB	24	23½	81/4	SM	_	-	-	-	_	S	1, S, Fixed	Built-In	4-60W Std. MB
128LP ⁸	39	Ensign	Stainless Steel Trim	SB	28	23½	8¾	SM	_	-	-	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
1350°	14	Cameo Oval Bevel	Frameless Bevel	S	21	31	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	=
1358	14	Cameo Oval Bevel	Frameless Bevel	S	24	36	-	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	=
1370 ⁸	24	Dunhill	Solid Oak, Honey	S	21	31	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	-
1370M ⁸	24	Dunhill	Solid Maple	S	21	31	-	R	14	18	3½	Р	RV	S	2, G, Adjus.	-	-
1370WH ⁸	24	Dunhill	White Painted Wood	S	21	31	-	R	14	18	3½	Р	RV	S	2, G, Adjus.	-	_
1402	17	Lafayette	Frameless	S	18%	32%	4¾	SM	_	-	-	Р	R	S	3, S, Adjus.	Built-In	3-60W G25/G40
1430	18	Focus	Frameless	S	16	22	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	_
1433	18	Focus	Frameless	S	16	20	-	R	14	18	2½	Р	RV	Р	2, P, Fixed	_	_
1438	18	Focus	Frameless	S	16	26	-	R	14	24	3½	Р	RV	S	3, S, Adjus.	_	_
1447	35	Stainless Steel	Frameless	S	16	20	-	R	14	18	3½	Р	RV	SS	3, G, Adjus.	_	_
1448	35	Stainless Steel	Frameless	S	16	26	-	R	14	24	3½	Р	RV	SS	3, G, Adjus.	_	-
1450BC	16	Mirror-on-Mirror	Frameless	S	16	26	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	73290*,	73190**
1451	18	Horizon	Frameless	S	16	26	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	73290*	-
1452	16	Mirror-On-Mirror	Frameless	S	16	26	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	73290*,	73190**
1453	18	Horizon	Frameless	S	16	20	-	R	14	18	2½	Р	RV	Р	2, P, Fixed	73290*,	73190**
1453ADJ	18	Horizon	Frameless	S	16	20	-	R	14	18	2½	Р	RV	Р	2, P, Adjus.	73290*	=
1454	15	Mirage	Frameless	S	18	27	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	73190**	
1456	15	Mirage	Frameless	S	17%	32	-	R	14	24	3½	Р	RV	S	3, S, Adjus.	73190**	
1459	18	Horizon	Frameless	S	16	26	-	R	14	24	3½	Р	RV	S	3, P, Adjus.	73290*,	73190**
1462	17	Lafayette	Frameless	S	18%	28%	6	SM	_	-	-	Р	R	S	3, S, Adjus.	Built-In	3-60W G25/G40
155124	19	Vienna	Chrome Finish Trim	Т	24	26	5½	SM	_	-	_	L	=	S	2, S, Adjus.	SB22529	-
155130	19	Vienna	Chrome Finish Trim	Т	30	26	5½	SM	_	-	-	L	-	S	2, S, Adjus.	SB23129	=
177924 ⁸	27	0akhill	Solid Oak, Honey	Т	2313/16	29	41/4	R/SM	22%	27%	3½°	PN	=	S	2, S, Adjus.	Built-In	3-60W G25/G40
177930 ⁸	27	0akhill	Solid Oak, Honey	Т	2913/16	29	41/4	R/SM	28%	27%	3½°	PN	=	S	2, S, Adjus.	Built-In	4-60W G25/G40
177936 ⁸	27	0akhill	Solid Oak, Honey	Т	3513/16	29	41/4	R/SM	34%	27%	3½°	PN	=	S	2, S, Adjus.	Built-In	5-60W G25/G40
177948 ⁸	27	0akhill	Solid Oak, Honey	Т	4713/16	29	41/4	R/SM	46%	27%	3½°	PN	=	S	2, S, Adjus.	Built-In	6-60W G25/G40
2072 ⁸	27	0akdale	Solid Oak, Honey	S	1713/16	29	41/4	R/SM	16¾	26%	3½°	PN	R	S	2, S, Adjus.	Built-In	3-60W G25/G40
2471IL ⁸	38	Oak Hollywood	Solid Oak, Honey	SB	24¾	24½	9	SM	_	-	_	-	=	S	1, S, Fixed	Built-In	4-60W Std. MB
255024 ⁸	18	Horizon	Frameless	Т	24	24	-	R	21¾	20%	3½	С	-	S	2, S, Adjus.	H042490 [†]	,73190**
255030°	18	Horizon	Frameless	Т	30	28¾	-	R	27¾	24¾	3½	С	-	S	2, S, Adjus.	H043090 [†]	,73190**
255036 ⁸	18	Horizon	Frameless	Т	36	28¾	-	R	33¾	24¾	3½	С	-	S	2, S, Adjus.	H043690 [†]	,73190**
255048 ⁸	18	Horizon	Frameless	Т	48	28¾	-	R	45¾	24¾	3½	С	=	S	2, S, Adjus.	H044890 [†]	,73190**
255224°	18	Horizon	Frameless	Т	24	24	5¼	SM	_	_	-	С	_	S	2, S, Fixed	H032490	-
255230°	18	Horizon	Frameless	Т	30	28¾	5¼	SM	_	-	_	С	=	S	2, S, Fixed	H033090	-
255236 ⁸	18	Horizon	Frameless	Т	36	28¾	51/4	SM	-	_		С	_	S	2, S, Fixed	H033690	_
255248 ⁸	18	Horizon	Frameless	Т	48	28¾	51/4	SM	-	-	-	С	-	S	2, S, Fixed	H034890	-
258	15	Sonata	Frameless	S	16	32	_	R	14	24	3½	Р	R	S	3, P, Adjus.	72052	=
277936 ⁸	28	Grand Oak	Solid Oak, Honey	Т	3513/16	29	41/4	R/SM	34%	27%	3½	PN	_	S	2, G, Adjus.	-	=
277936M ⁸	28	Grand Maple	Solid Maple	Т	3513/16	29	41/4	R/SM	34%	27%	3½9	PN	_	S	2, G, Adjus.	-	=
277948 ⁸	28	Grand Oak	Solid Oak, Honey	Т	4713/16	29	41/4	R/SM	46%	27%		PN	_	S	2, G, Adjus.	-	
Chart/Nata		1															

1. Style

B = Bi-View

L = LightS = Single

SB = SliderT = Tri-View

WM = WallMirror 2. Mount Type

M = Mirror

R = RecessedSM = Surface

R/SM = Recessed or Surface Mount

3. Hinge Type

B = Butt

C = ConcealedL = Leaf

P = PianoPN = Pin

SC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = Left

R = Right $\mathsf{RV} = \mathsf{Reversible}$

5. Cabinet Body

P = Polystyrene S = SteelSS = Stainless

W = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = AluminumG = Glass

P = Polystyrene S = Steel

W = Wood

 $\textbf{8.} \ \ \mathsf{Door}(\mathsf{s}) \ \mathsf{shipped} \ \mathsf{not} \ \mathsf{attached} \ \mathsf{to} \ \mathsf{cabinet}$

9. Optional wall opening

- * Top light kit, see photo page 12.
- $\ensuremath{^{**}}$ Side light kit, see photo page 12.
- † Top light kit, see page 14.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ove w	rall Si h	ze d	Mount Type ²	Wall w	Open h	ing d	Hinge Type ³		Cab Bdy⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
277948M ⁸	28	Grand Maple	Solid Maple	Т	4713/16	29	41/4	R/SM	46%	27½	3½9	PN	_	S	2, G, Adjus.	-	=
2871IL ⁸	38	Oak Hollywood	Solid Oak, Honey	SB	28¾	24½	9	SM	_	-	_	_	_	S	1, S, Fixed	Built-In	4-60W Std. MB
295224	18	Focus	Frameless	Т	24	30	5¾	SM	_	-	_	С	_	S	2, S, Fixed	Built-In	3-60W G25/G40
295230	18	Focus	Frameless	Т	30	34	5¾	SM	-	-	_	С	-	S	2, S, Fixed	Built-In	4-60W G25/G40
313BN	41	Basic Frame	Brushed Nickel Finish	S	16%	20%	-	R	14	18	2½	Р	RV	Р	2, P, Fixed	-	-
313WH	41	Basic Frame	Molded, White Finish	S	16%	20%	-	R	14	18	2½	Р	RV	Р	2, P, Fixed	1	Ī
323LP ⁸	39	Flair	Stainless Steel Trim	SB	24	19½	7½	SM	-	-	_	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
327LP ⁸	39	Flair	Stainless Steel Trim	SB	28	19½	7½	SM	-	-	_	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
3910	30	Florentine	Simulated Gold Leaf	S	1715/6	2715/16	_	R	14	18	3½	Р	RV	S	2, P, Adjus.	711FG	2-60W
3918BC	30	Florentine	Simulated Gold Leaf	S	1715/6	2715/16		R	14	24	3½	Р	RV	S	3, P, Adjus.	711FG	2-60W
401ADJ ⁸	40	Styleline	Stainless Steel	S	16	20	-	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
405BP	40	Styleline	Stainless Steel	S	16	22	-	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
407ADJ ⁸	40	Styleline	Stainless Steel	S	16	22	-	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
410BC ⁸	40	Styleline	Stainless Steel	S	16	22	-	R	14	18	3½	В	RV	S	2, P, Adjus.	-	-
420BC	40	Styleline	Stainless Steel	S	16	22	-	R	14	20	3½	Р	RV	S	3, S, Adjus.	_	-
421BC	40	Styleline	Stainless Steel	S	16	22	-	R	14	20	3½	Р	RV	S	3, S, Adjus.	_	-
422SM	40	Styleline	Stainless Steel	S	14	20	5%	SM	_	-	_	Р	RV	S	2, P, Fixed	_	-
449BC	40	Styleline	Stainless Steel	S	16	22	-	R	14	18	2½	Р	RV	Р	2, P, Fixed	_	-
452SM	40	Styleline	Stainless Steel	S	16	22	4¾	SM	_	-	_	Р	RV	S	2, P, Fixed	=	=
455FL	36	Cabinet 455FL	Stainless Steel	S	20%	221/4	3¾	R	14	19	3½	Р	R	S	2, P, Adjus.	Built-In	Fluor. (incl.)
455230°	19	Quantum	Frameless	Т	30	36½	5¾	SM	_	-	_	С	=	S	2, S, Fixed	Built-In	4-60W G25/G40
455236 ⁸	19	Quantum	Frameless	Т	36	36½	5¾	SM	-	-	_	С	-	S	2, S, Fixed	Built-In	5-60W G25/G40
455248 ⁸	19	Quantum	Frameless	Т	48	36½	5¾	SM	_	-	_	С	=	S	2, S, Fixed	Built-In	6-60W G25/G40
458	40	Styleline	Stainless Steel	S	16	26	-	R	14	24	3½	Р	RV	S	3, S, Adjus.	_	_
468BC	40	Styleline	Stainless Steel	S	16	26	-	R	14	24	3½	Р	RV	S	3, S, Adjus.	_	-
468M0D	34	Modular Shelf	Stainless Steel	S	16	26	-	R	14	24	3½	Р	RV	S	6**, S, Adjus.	_	-
470FS*	40	Styleline	Stainless Steel	S	16	26	-	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
472FS*	40	Styleline	Stainless Steel	S	16%	22%	5	SM	-	-	_	Р	RV	S	3, G, Adjus.	-	-
473FS*	40	Styleline	Stainless Steel	S	16	22	-	R	14	18	3½	Р	RV	S	3, G, Adjus.	-	-
478FS*	40	Styleline	Stainless Steel	S	16	26	-	R	14	24	3½	Р	RV	S	3, A, Adjus.	ı	Ī
490	40	Styleline	Stainless Steel	S	18	24	-	R	16	21½	3½	Р	RV	S	3, P, Adjus.	ı	Ī
495	40	Styleline	Stainless Steel	S	20	30	_	R	17¼	26¾	3½	Р	RV	S	3, P, Adjus.	ı	-
52WH184PV	11	Metro Oval	Frameless, Bevel	S	20¾	31¼	4½	R	141/4	18	3½	Р	RV	S	2, G, Adjus.	ı	Ī
52WH244DP	7	Metro Deluxe	Frameless, Bevel	S	15	25	5	R/SM [†]	141/4	24	4	С	RV	S	4, G, Adjus.	ı	Ī
52WH244DPF	7	Metro Deluxe	Frameless, Flat	S	15	25	5	R/SM [†]	141/4	24	4	С	RV	S	4, G, Adjus.	ı	Ī
52WH244P	9	Metro Classic	Frameless, Bevel	S	15	25	5	R/SM [†]	141/4	24	4	С	RV	S	3, G, Adjus.	-	=
52WH244PA	11	Metro Arch	Frameless, Bevel	S	15	31¼	5	R/SM [†]	141/4	24	4	С	L	S	3, G, Adjus.	ı	Ī
52WH244PF	9	Metro Classic	Frameless, Flat	S	15	25	5	R/SM [†]	141/4	24	4	С	RV	S	3, G, Adjus.	-	=
52WH244PT	11	Metro Octagon	Frameless, Bevel	S	15	31¼	5	R/SM [†]	141/4	24	4	С	RV	S	3, G, Adjus.	-	-
52WH246DP	7	Metro Deluxe	Frameless, Bevel	S	15	25	7	R	141/4	24	6	С	RV	S	4, G, Adjus.	-	=
52WH246DPF	7	Metro Deluxe	Frameless, Flat	S	15	25	7	R	141/4	24	6	С	RV	S	4, G, Adjus.	-	=
52WH254DP	13	Metro Oversize Deluxe	Frameless, Bevel	S	20	25	5	R/SM [†]	191/4	24	4	С	RV	S	4, G, Adjus.	-	_

1. Style B = Bi-ViewL = LightS = SingleSB = Slider

T = Tri-ViewWM = WallMirror 2. Mount Type

M = Mirror $\mathsf{R} = \mathsf{Recessed}$ SM = SurfaceMount R/SM = Recessedor Surface Mount

3. Hinge Type B = Butt

C = ConcealedL = LeafP = Piano

PN = Pin SC = Semi-concealed, self-closing hinge 4. Single Door Hinge

L = Left R = Right

 $\mathsf{RV} = \mathsf{Reversible}$

5. Cabinet Body

P = PolystyreneS = Steel SS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = AluminumG = Glass

P = Polystyrene S = SteelW = Wood

8. Door(s) shipped not attached to cabinet

9. Optional wall opening

* Meets Federal Spec. #WW-P-541/8B

** Modular 1/2 shelves

† Surface Mount Side Mirror Kits required

	Pg No.	Style Name	Frame	Style ¹		rall S h	ize d	Mount Type ²	Wall w	Open h	ing d	Hinge Type ³	Single Door Hinge ⁴	Cab Bdy⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
52WH254DPF	13	Metro Oversize Deluxe	Frameless, Flat	S	20	25	5	R/SM [†]	19¾	24	4	С	RV	S	4, G, Adjus.	-	-
52WH304DP	13	Metro Oversize Deluxe	Frameless, Bevel	S	24	30	5	R/SM [†]	231/4	29	4	С	RV	S	5, G, Adjus.	-	-
52WH304DPF	13	Metro Oversize Deluxe	Frameless, Flat	S	24	30	5	R/SM [†]	231/4	29	4	С	RV	S	5, G, Adjus.	-	-
52WH304P	13	Metro Oversize Classic	Frameless, Bevel	S	24	30	5	R/SM [†]	231/4	29	4	С	RV	S	4, G, Adjus.	-	-
52WH304PF	13	Metro Oversize Classic	Frameless, Flat	S	24	30	5	R/SM†	231/4	29	4	С	RV	S	4, G, Adjus.	-	-
52WH344DP	7	Metro Deluxe	Frameless, Bevel	S	15	35	5	R/SM [†]	141/4	34	4	С	RV	S	5, G, Adjus.	-	-
52WH344DPF	7	Metro Deluxe	Frameless, Flat	S	15	35	5	R/SM [†]	141/4	34	4	С	RV	S	5, G, Adjus.	-	-
52WH344P	9	Metro Classic	Frameless, Bevel	S	15	35	5	R/SM [†]	14¼	34	4	С	RV	S	4, G, Adjus.	-	-
52WH344PF	9	Metro Classic	Frameless, Flat	S	15	35	5	R/SM [†]	14¼	34	4	С	RV	S	4, G, Adjus.	-	-
52WH346DP	7	Metro Deluxe	Frameless, Bevel	S	15	35	7	R	141/4	34	6	С	RV	S	5, G, Adjus.	-	-
52WH346DPF	7	Metro Deluxe	Frameless, Flat	S	15	35	7	R	141/4	24	6	С	RV	S	5, G, Adjus.	-	-
530924	16	Simplicity	Frameless	S	24	30	4%	R	21½	27½	3½	Р	RV	S	2, G, Adjus.	-	-
533124	29	Harmony	Chrome-Tone	S	24	30	5%	R	21½	27½	3½	Р	RV	S	2, G, Adjus.	-	-
535224	31	Monaco	Gold-Tone	S	24	30	5%	R	21½	27½	3½	Р	RV	S	2, G, Adjus.	-	-
5528	14	Torino	Frameless	S	16½	34½	-	R	14	24	3½	Р	R	S	3, P, Adjus.	73591	-
555IL	36	Cabinet 555IL	Stainless Steel	S	16	24	8	SM	-	-	-	Р	R	S	2, S, Fixed	Built-In	2-60W
565	17	Styleline II	Chrome Plated Steel	S	18	28	6	SM	-	-	-	Р	R	S	3, S, Adjus.	Built-In	3-60W G25/G40
602	44	Louver Door	Unfinished Pine	S	16	24	-	R	14	18	3½	В	R	S	2, P, Adjus.	-	-
605ADJ	44	Louver Door	Unfinished Pine	S	16	24	-	R	14	18	2½	В	R	Р	2, P, Adjus.	-	-
606	44	Louver Door	Unfinished Pine	S	16	22	-	R	14	18	3½	В	RV	S	2, P, Adjus.	-	-
607ADJ	44	Louver Door	Unfinished Pine	S	16	22	-	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
609	44	Louver Door	Unfinished Pine	S	16	26	-	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
610BC	18	Horizon	Frameless	S	16¾	22¾	-	R	14	18	2½	В	RV	Р	2, P, Fixed	73290*,	73190**
614	40	Styleline	Stainless Steel	S	16¾	22¾	41/4	SM	-	-	-	В	RV	Р	2, P, Fixed	-	-
615	44	Louver Door	White Polystyrene	S	16¾	24½	-	R	14	18	2½	В	R	Р	2, P, Fixed	-	-
622	44	Hideaway	Steel Door	S	16¾	21%	-	R	14	18	3¾	Р	RV	S	2, P, Adjus.	-	-
624	40	Styleline	Stainless Steel	S	16	26	-	R	13%	23%	2%	В	RV	Р	3, P ,Fixed	-	-
625	35	Bel Aire Auxiliary	Stainless Steel Trim	S	13	36	-	R	11¼	33½	3½	Р	RV	S	3, P, Adjus.	-	-
626	35	Bel Aire Auxiliary	Stainless Steel Trim	S	13	36	4¾	SM	-	-	-	Р	RV	S	3, P, Fixed	-	-
629	32	Illusion	Frameless	S	15	36	-	R	14	34¼	3½	С	RV	S	3, S, Adjus.	-	-
629SS	32	Illusion	Frameless, Flat	S	15	36	-	R	14	34¼	3½	С	RV	SS	4, G, Adjus.	-	-
631	33	Avanti Corner	Stainless Steel Trim	S	13	36	7¼	SM	-	-	-	Р	RV	S	3, G, Fixed	-	-
637	33	Avanti Corner	Frameless	S	12½	36	8	SM	_	-	_	Р	RV	Р	3, P, Fixed	-	-
639BC	32	Illusion	Frameless	S	13	36	-	R	12	34¼	3½	С	RV	S	3, S, Adjus.	-	-
663BC	33	Low Profile	Frameless	S	15	36	-	R	12½	34¼	3½	Р	RV	S	3, G, Adjus.	-	-
664	32	Illusion	Frameless	S	13	36	-	R	12	34¼	3½	С	RV	S	3, G, Adjus.	-	-
669730	41	Frameless Tri-View	Frameless	Т	301/4	24¾	5	SM	_	-	_	L		Р	4, P, Adjus.	-	_
672BC ⁸	34	Centered Corner	Solid Oak, Honey	S	19½	33½	10½	SM	-	-	-	PN	R	S	3, S, Fixed	-	-
672SS ⁸	34	Centered Corner	Stainless Steel	S	17¼	31	9%	SM	-	-	-	PN	R	S	3, S, Fixed	-	-
70223	21	Baker Street	Hardwood, White	L	18	8	13½	For SM Cab	-	-	-	-	-	_	-	-	2-60W Std. MB
70273	21	Baker Street	Solid Oak, Honey	L	18	8	13½	For SM Cab	-	-	-	-	_	_	_	-	2-60W Std. MB
70323	21	Baker Street	Hardwood, White	L	18	8	9	For R Cab	-	_	_	-	-	_	-	_	2-60W Std. MB

1. Style

B = Bi-View

L = Light

S = Single

SB = Slider

 $\mathsf{T} = \mathsf{Tri}\text{-}\mathsf{View}$ WM = WallMirror 2. Mount Type

M = Mirror

R = RecessedSM = Surface Mount

R/SM = Recessed or Surface Mount

3. Hinge Type

B = Butt

C = ConcealedL = Leaf

P = Piano PN = Pin

SC = Semi-concealed, self-closing hinge 4. Single Door Hinge

L = Left

R = RightRV = Reversible

5. Cabinet Body

P = Polystyrene

S = Steel SS = Stainless W = Wood

7. Shelf Material

AL = Aluminum

6. Cabinet bottom always

provides an additional storage level.

G = Glass

P = Polystyrene

S = SteelW = Wood 8. Door(s) shipped not attached to cabinet

* Top light kit, see photo page 12.

** Side light kit, see photo page 12.

 † Surface Mount Side Mirror Kits required

Model No.	Pg No.	Style Name	Frame	Style ¹	Ove w	rall Si	ize d	Mount Type ²	Wal	l Oper h	ning d	Hinge Type ³	Single Door Hinge ⁴	Cab Bdy⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
70324	21	Baker Street	Solid Maple	L	18	8	9	For R Cab	-	_	-	-	=	-	-		2-60W Std. MB
70373	21	Baker Street	Solid Oak, Honey	L	18	8	9	For R Cab	_	_	_	-	-	-	-	_	2-60W Std. MB
70928	25	Prairie	White Painted Wood	L	17%	8	8	For R Cab	_	_	_	-	-	-	-	_	2-60W Std. MB
711FG	30	Florentine	Gold Leaf	L	1715/16	8	615/16	For R Cab	_	_	_	-	-	-	-	_	2-60W Std. MB
71829	28	Kingston	Solid Oak, Honey	L	16½	5½	21/4	For R Cab	_	_	_	-	-	-	-	_	3-60W G25/G40
72052	15	Sonata	Frameless	L**	5	17½	6%	For R Cab	_	_	_	-	-	-	-	_	2-60W Std. MB
73190 1	5,16,1	.8 Mirage	Frameless	L**	5	12	6½	For R Cab	_	_	_	-	-	-	-	_	2-60W Slim Line
73290	16,18	Horizon	Frameless	L	16	4½	2	For R Cab	-	_	-	-	-	-	=	=	2-60W G25/G40
73591	14	Torino	Frameless	L**	5%	13¾	6½	For R Cab	-	_	-	-	-	-	=	=	2-60W Std. MB
74279	25	Grant	Solid Oak, Honey	L	16¾	5½	3	For R Cab	-	_	-	-	-	-	=	=	2-60W G25/G40
76GK ¹⁰	7,9	Metro	-	-	for k	oth 2	4" and	34" models	-	_	-	-	-	-	=	Gangable	Attachment Kit
760024	7,9	Metro	Frameless	-	for r	nodels	24" ir	n height	-	_	-	-	-	-	=	Surface N	lount Mirror Kit
760025	13	Metro Oversize	Frameless	_	for r	nodels	25" ir	n height	_	-	_	_	-	-	=	Surface N	Nount Mirror Kit
760030	13	Metro Oversize	Frameless	_	for r	nodels	30" ir	n height	_	-	_	-	-	-	=	Surface N	Nount Mirror Kit
760034	7,9	Metro	Frameless	_	for r	nodels	34" ir	n height	_	-	_	-	-	-	=	Surface N	Nount Mirror Kit
76378	26	Canterbury	Solid Oak, Honey	L	18	8	8	For R Cab	_	-	_	-	-	-	=	=	2-60W Std. MB
76478	26	Canterbury	Solid Oak, Honey	L	18	8	11½	For SM Cab	_	_	_	_	-	-			2-60W Std. MB
8120	25	Prairie	White Painted Wood	S	17%	27%	-	R	14	18	3½	Р	RV	S	2, P, Adjus.	70928	-
8122	25	Prairie	White Painted Wood	S	17%	27%	_	SM	_	_	_	Р	RV	S	3, P, Fixed	_	-
8128	25	Prairie	White Painted Wood	S	17%	27%	_	R	14	24	3½	Р	RV	S	3, P, Adjus.	70928	-
8199-703*	25	Prairie	Solid Oak, Blond	Т	30	285/6	5½	SM	_	_	_	L	-	S	2, S, Adjus.	0K8199705	_
8199-704*	25	Prairie	Solid Oak, Blond	Т	36	285/6	5½	SM	_	_	_	L	-	S	2, S, Adjus.	0K8199706	_
820	21	Baker Street	Hardwood, White	S	18	271/4	_	R	14	18	3½	Р	RV	S	2, G, Adjus.	70323	_
822	21	Baker Street	Hardwood, White	S	18	271/4	_	SM	_	_	_	Р	RV	S	3, G, Adjus.	70223	_
824BC	21	Baker Street	Solid Maple	S	18	271/4	_	R	14	24	3½	Р	RV	S	2, G, Adjus.	70324	2-60W
8278	26	Chapel Hill	Solid Oak, Honey	S	17¼	271/4	_	R	14	24	3½	Р	RV	S	3, S, Adjus.	_	_
828	21	Baker Street	Hardwood, White	S	18	271/4	_	R	14	24	3½	Р	RV	S	3, G, Adjus.	70323	-
830C	21	Baker Street Arch	Solid Cherry	S	17%	33%	_	R	14	24	3½	Р	R	S	3, G, Adjus.	_	-
8378	28	Kingston	Solid Oak, Honey	S	16½	26½	_	R	14	24	3½	Р	RV	S	3, S, Adjus.	71829	_
842230	21	Baker Street	Hardwood, White	Т	30	28½	5½	SM	_	_	_	L	-	S	2, G, Adjus.	BS84023	-
842236	21	Baker Street	Hardwood, White	Т	36	28½	5½	SM	_	_	_	L	-	S	2, G, Adjus.	BS84623	_
850C	23	Soho	Solid Cherry	S	17%	27%	_	R	14	24	3½	Р	RV	S	3, G, Adjus.	_	-
850M	23	Soho	Solid Maple	S	17%			R	14	24	3½	Р	RV	S	3, G, Adjus.	_	_
8570	26	Canterbury	Solid Oak, Honey	S	18	27%		R	14	18	3½	Р	R	S	2, P, Adjus.	76378	_
8572	26	Canterbury	Solid Oak, Honey	S	18	27%		SM	_	_	_	Р	R	S	3, P, Fixed	76478	_
870	21	Baker Street	Solid Oak, Honey	S	18	271/4		R	14	18	3½	Р	RV	S	2, G, Adjus.	70373	_
872BC	21	Baker Street	Solid Oak, Honey	S	18	271/4		SM	_	_	_	Р	RV	S	3, G, Adjus.	70273	_
8770	25	Grant	Solid Oak, Honey	S	16¾	241/4		R	14	18	3½	Р	RV	S	2, P, Adjus.	74279	_
8772	25	Grant	Solid Oak, Honey	S	16¾		5½	SM	_	_	_	Р	RV	S	2, P, Fixed	-	_
8773	25	Grant	Solid Oak, Honey	S	16¾	22	_	R	14	18	2½	В	RV	Р	2, P, Fixed	74279	_
8778	25	Grant	Solid Oak, Honey	S	16¾	261/4		R	14	24	3½	Р	RV	S	3, P, Adjus.	74279	_
878BC	21	Baker Street	Solid Oak, Honey	S	18	271/4		R	14	24	3½	Р	RV	S	3, G, Adjus.	70373	_
Chart/Note] , , , , , , , , , , , , , , , , , , ,					<u> </u>			-/-	<u> </u>	l		-, -,		<u> </u>

1. Style B = Bi-View L = Light

S = SingleSB = SliderT = Tri-View WM = Wall Mirror 2. Mount Type

M = Mirror R = Recessed

SM = SurfaceMount R/SM = Recessed or Surface Mount

3. Hinge Type

B = Butt C = ConcealedL = Leaf

P = PianoPN = Pin

SC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = Left

R = Right $\mathsf{RV} = \mathsf{Reversible}$

5. Cabinet Body

P = PolystyreneS = SteelSS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = Aluminum

S = Steel G = GlassW = WoodP = Polystyrene

10. To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged." Example 1: Recess three cabinets in a row

(3 cabinets - 1) = 2 Gangable Attachment Kits.Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus four Surface Mount Side Mirror Kits.

NOTES: Unless so stated, bulbs not included. All measurements are in inches. * Special Order ** Packed in pairs

No.	Pg No.	Style Name	Frame	Style ¹	Ove w	rall Si h	ze d	Mount Type ²	Wall w	Open h	ing d	Hinge Type ³	Single Door Hinge ⁴	Cab Bdy⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
9000C	22	Mission	Solid Cherry	S	17%	33%	-	R	14	24	3½	Р	R	S	3, G, Adjus.	-	-
902	43	Wood Frame	Solid Oak, Honey	S	16	20	4¾	SM	-	_	_	В	RV	W	1, W, Fixed	_	-
902WH	43	Wood Frame	White Painted Wood	S	16	20	_	SM	-	_	_	В	RV	W	1, W, Fixed	_	-
902224	42	Prestique	White Painted Wood	Т	24	26	4¾	SM	-	_	-	L	-	W	2, W, Fixed	-	-
902230	42	Prestique	White Painted Wood	Т	30	30	4¾	SM	-	_	-	L	-	W	2, W, Fixed	-	-
902236	42	Prestique	White Painted Wood	Т	36	30	4¾	SM	-	_	-	L	-	W	2, W, Fixed	-	-
905224	42	Prestique	Frameless	Т	24	26	4¾	SM	-	_	-	С	-	W	2, W, Fixed	CR92490	-
905230	42	Prestique	Frameless	Т	30	30	4¾	SM	-	_	-	С	-	W	2, W, Fixed	CR93090	-
905236	42	Prestique	Frameless	Т	36	30	4¾	SM	-	_	-	С	-	W	2, W, Fixed	CR93690	-
905248	42	Prestique	Frameless	Т	48	30	4¾	SM	-	-	_	С	-	W	2, W, Fixed	CR94890	=
907224	42	Prestique	Solid Oak, Honey	Т	24	26	4¾	SM	-	-	_	L	-	W	2, W, Fixed	=	=
907230	42	Prestique	Solid Oak, Honey	Т	30	30	4¾	SM	-	-	_	L	-	W	2, W, Fixed	CR93079	=
907236	42	Prestique	Solid Oak, Honey	Т	36	30	4¾	SM	-	-	_	L	_	W	2, W, Fixed	CR93679	=
907248	42	Prestique	Solid Oak, Honey	Т	48	30	4¾	SM	-	_	_	L	-	W	2, W, Fixed	-	=
9422BC ⁸	43	Wood Frame w/ light	White Painted Wood	S	1511/16	23½	41/4	R/SM	14¾	22%	3½°	PN	R	W	1, W, Adjus.	Built-In	2-60W G25/G40
942224 ⁸	43	Wood Frame w/ light	White Painted Wood	Т	23%	281//	41/4	R/SM	22%	27¼	3½9	PN	-	W	2, W, Adjus.	Built-In	3-60W G25/G40
942230°	43	Wood Frame w/ light	White Painted Wood	Т	29%	281//	41/4	R/SM	28%	27¼	3½9	PN	-	W	2, W, Adjus.	Built-In	4-60W G25/G40
942236°	43	Wood Frame w/ light	White Painted Wood	Т	35%	281//	41/4	R/SM	34%	27¼	3½9	PN	-	W	2, W, Adjus.	Built-In	5-60W G25/G40
9472°	43	Wood Frame w/ light	Solid Oak, Honey	S	1511/16	23½	41/4	R/SM	14¾	22%	3½9	PN	R	W	1, W, Adjus.	Built-In	2-60W G25/G40
947224 ⁸	43	Wood Frame w/ light	Solid Oak, Honey	Т	23%	281//	41/4	R/SM	22%	27¼	3½9	PN	-	W	2, W, Adjus.	Built-In	3-60W G25/G40
947230°	43	Wood Frame w/ light	Solid Oak, Honey	Т	29%	281//	41/4	R/SM	28%	27¼	3½9	PN	-	W	2, W, Adjus.	Built-In	4-60W G25/G40
947236°	43	Wood Frame w/ light	Solid Oak, Honey	Т	35%	281//	41/4	R/SM	34%	27¼	3½9	PN	-	W	2, W, Adjus.	Built-In	5-60W G25/G40
962224	43	Wood Frame	White Painted Wood	Т	24	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR92425	=
962230	43	Wood Frame	White Painted Wood	Т	30	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR93025	=
962236	43	Wood Frame	White Painted Wood	Т	36	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR93625	=
967224	43	Wood Frame	Solid Oak, Honey	Т	24	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR92475	=
967230	43	Wood Frame	Solid Oak, Honey	Т	30	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR93075	=
967236	43	Wood Frame	Solid Oak, Honey	Т	36	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR93675	=
972225	45	Perfume	Hardwood, White	2-Dr	25½	28	4¾	R/SM	241/4	26½	3½9	SC	RV	W	5, W, Fixed	=	=
973BC	25	Grant	Solid Oak, Honey	S	16	20	_	R	14	18	2½	В	RV	Р	2, P, Fixed	74279	=
977225	45	Perfume	Solid Oak, Honey	2-Dr	25½	28	4¾	R/SM	241/4	26½	3½9	SC	RV	W	5, W, Fixed	=	=
982	43	Wood Frame	Solid Oak, Honey	S	16	26	4¾	SM	-	-	_	В	RV	W	2, W, Fixed	=	=
982WH	43	Wood Frame	White Painted Wood	S	16	26	4¾	SM	-	-	_	В	RV	W	2, W, Fixed	=	=
9873	45	Drop Door	Hardwood, White	В	30¾	29%	4¾	R/SM	28%	27¾	3½9	SC	-	W	4, W, F/A	-	-
9877	45	Drop Door	Solid Oak, Honey	В	30¾	29%	4¾	R/SM	28%	27¾	3½9	SC	-	W	4, W, F/A	-	-
BS84023	21	Baker Street	Hardwood, White	L	30	6	6½	For SM Cab	-	-	_	-	-	-	=	=	3-60W Std. MB
BS84623	21	Baker Street	Hardwood, White	L	36	6	6½	For SM Cab	-	-	_	-	-	-	-	=	4-60W Std. MB
CR92425	43	Wood Frame	White Painted Wood	L	24	5%	5½	For SM Cab	-	-	-	-	-	-	_	=	3-60W G25/G40
CR92475	43	Wood Frame	Solid Oak, Honey	L	24	5%	5½	For SM Cab	-	_	-	-	-	-	=	-	3-60W G25/G40
CR92490	42	Prestique	Frameless	L	24	4½	5½	For SM Cab	-	_	-	-	-	-	=	-	3-60W G25/G40
CR93025	43	Wood Frame	White Painted Wood	L	30	5%	5½	For SM Cab	-	_	-	-	-	-	=	-	4-60W G25/G40
CR93075	43	Wood Frame	Solid Oak, Honey	L	30	5%	5½	For SM Cab	-	-	-	-	-	-	-	-	4-60W G25/G40

1. Style

B = Bi-View

L = Light

S = Single

SB = Slider

T = Tri-ViewWM = WallMirror 2. Mount Type

M = Mirror

R = RecessedSM = Surface

Mount R/SM = Recessedor Surface Mount 3. Hinge Type

B = ButtC = Concealed

L = Leaf

P = Piano

PN = PinSC = Semi-concealed, self-closing hinge 4. Single Door Hinge

L = Left

R = Right

RV = Reversible

5. Cabinet Body

 $\overline{P = Polystyrene}$

S = SteelSS = Stainless

W = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = Aluminum

G = Glass

 $\mathsf{P} = \mathsf{Polystyrene}$

S = Steel

W = Wood

 $\textbf{8.} \ \ \mathsf{Door}(\mathsf{s}) \ \mathsf{shipped} \ \mathsf{not} \ \mathsf{attached} \ \mathsf{to} \ \mathsf{cabinet}$

9. Optional wall opening

Model No.	Pg No.	Style Name	Frame	Style ¹	Ove w	rall Si h	ze d	Mount Type ²	Wal w	l Open h	ing d	Hinge Type ³	Single Door Hinge ⁴	Cab Bdy⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type	
CR93079	42	Prestique	Solid Oak, Honey	L	30	5%	5½	For SM Cab	-	-	_	-	=	-	-	-	4-60W G25/G40	
CR93090	42	Prestique	Frameless	L	30	4½	5½	For SM Cab	_	-	_	_	_	-	_	-	4-60W G25/G40	
CR93625	43	Wood Frame	White Painted Wood	L	36	5%	5½	For SM Cab	-	-	-	-	-	_	-	-	5-60W G25/G40	
CR93675	43	Wood Frame	Solid Oak, Honey	L	36	5%	5½	For SM Cab	-	-	-	-	-	_	-	-	5-60W G25/G40	
CR93679	42	Prestique	Solid Oak, Honey	L	36	5%	5½	For SM Cab	_	-	_	-	-	-	_	-	5-60W G25/G40	
CR93690	42	Prestique	Frameless	L	36	4½	5½	For SM Cab	_	-	_	_	_	_	-	-	4-60W G25/G40	
CR94890	42	Prestique	Frameless	L	48	4½	5½	For SM Cab	_	-	_	-	-	-	=	-	6-60W G25/G40	
HO32490	18	Horizon	Frameless	L	24	4½	5%	For SM Cab	-	-	-	-	-	_	-	-	3-60W G25/G40	
HO33090	18	Horizon	Frameless	L	30	4½	5%	For SM Cab	-	-	-	-	-	_	-	-	4-60W G25/G40	
HO33690	18	Horizon	Frameless	L.	36	4½	5%	For SM Cab	-	-	-	-	-	_	-	-	4-60W G25/G40	
HO34890	18	Horizon	Frameless	L.	48	4½	5%	For SM Cab	-	-	-	-	-	_	-	-	5-60W G25/G40	
HO42490	18	Horizon	Frameless	L.	24	4½	21/4	For R Cab	-	-	-	-	-	_	-	-	3-60W G25/G40	
HO43090	18	Horizon	Frameless	L.	30	4½	21/4	For R Cab	-	-	-	-	-	_	-	-	4-60W G25/G40	
HO43690	18	Horizon	Frameless	L.	36	4½	21/4	For R Cab	-	-	-	-	-	_	-	-	4-60W G25/G40	
HO44890	18	Horizon	Frameless	L.	48	4½	21/4	For R Cab	-	-	-	-	-	_	-	-	5-60W G25/G40	
IL24	37	Commodore	Stainless Steel Trim	L.	24	4	7½	For SM Cab	-	-	-	-	-	_	-	-	4-60W MB	
IL30	37	Commodore	Stainless Steel Trim	L.	30	4	7½	For SM Cab	-	-	-	-	-	_	-	-	4-60W MB	
OK8199-705*	25	Prairie	Solid Oak, Blond	L.	30	8	11	For SM Cab	-	-	-	-	-	_	-	-	60W Std. MB	
OK8199-706*	25	Prairie	Solid Oak, Blond	L.	36	8	11	For SM Cab	-	-	-	-	-	_	-	-	4-60W Std. MB	
PEM2424	37	Commodore	Frameless	WM	24	24	-	SM	-	-	-	-	-	_	-	IL24	=	
PEM3024	37	Commodore	Frameless	WM	30	24	-	SM	_	-	_	-	-	_	-	IL30	_	
PEM3036	37	Commodore	Frameless	WM	30	36	-	SM	_	-	_	-	-	_	-	IL30	_	
PEM3624	37	Commodore	Frameless	WM	36	24	-	SM	_	-	_	-	-	_	-	-	-	
PEM3636	37	Commodore	Frameless	WM	36	36	-	SM	_	-	_	-	-	_	-	-	-	
PEM4824	37	Commodore	Frameless	WM	48	24	-	SM	_	-	_	-	-	_	-	-	-	
PEM4836	37	Commodore	Frameless	WM	48	36	-	SM	_	-	_	-	-	_	-	-	-	
PEM6036	37	Commodore	Frameless	WM	60	36	-	SM	-	-	-	-	-	_	-	-	-	
SB22529	19	Vienna	Chrome Trim	L	24	4	5½	For SM Cab	_	-	_	-	-	_	-	-	3-60W G25/G40	
SB23129	19	Vienna	Chrome Trim	L	30	4	5½	For SM Cab	_	-	_	-	-	_	-	-	4-60W G25/G40	
SB330 ⁸	38	Beauty Glide	Stainless Steel Trim	SB	31	21%	5¾	R	30¾	19¾	3½	-	-	S	2, G, Adjus.	-	-	
V24 ⁸	37	Commodore	Stainless Steel Trim	SB	24¼	8¾	41/4	SM	-	-	-	-	-	_	-	Cosmetic E	Box, Mirrored Door	
V30 ⁸	37	Commodore	Stainless Steel Trim	SB	30¾	8¾	41/4	SM	-	-	-	-	-	_	-	Cosmetic E	Box, Mirrored Door	
V36 ⁸	37	Commodore	Stainless Steel Trim	SB	36¾	8¾	41/4	SM	-	-	-	-	-	_	-	Cosmetic E	Box, Mirrored Door	
V48 ⁸	37	Commodore	Stainless Steel Trim	SB	48¼	8¾	41/4	SM	-	-	-	-	-	_	-	Cosmetic Box, Mirrored Door		
VM224M ⁸	37	Commodore	Stainless Steel Trim	SB	24¼	32	4½	SM	-	-	-	-	-	_	Cosmetic Box & Mirror, Mirrored Door			
VM224P ⁸	37	Commodore	Stainless Steel Trim	SB	24¾	32	41/8	SM	-	-	_	-	_	_	Cosmetic Box & Mirror, Styrene Door			
VM230M ⁸	37	Commodore	Stainless Steel Trim	SB	30¾	32	4½	SM	_	_	-	-	-	_	Cosmetic Box & Mirror, Mirrored Door			
VM230P ⁸	37	Commodore	Stainless Steel Trim	SB	30¾	32	4½	SM	_	_	-	-	-	_	Cosmetic Box & Mirror, Styrene Door			
VM236M ⁸	37	Commodore	Stainless Steel Trim	SB	36¾	32	4½	SM	_	_	-	-	-	_	Cosmetic Box & Mirror, Mirrored Door			
VM236P ⁸	37	Commodore	Stainless Steel Trim	SB	36¾	32	4%	SM	-	-	_	_	_	-	Cosmeti	Box & Mi	rror, Styrene Door	

1. Style $\mathsf{B} = \mathsf{Bi-View}$ L = Light

S = SingleSB = Slider

T = Tri-ViewWM = WallMirror 2. Mount Type

M = MirrorR = RecessedSM = Surface

Mount R/SM = Recessedor Surface 3. Hinge Type

 $\overline{B} = Butt$ C = ConcealedL = LeafP = Piano

PN = PinSC = Semi-concealed, self-closing hinge 4. Single Door Hinge

L = LeftR = RightRV = Reversible

5. Cabinet Body

P = Polystyrene S = Steel SS = Stainless W = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

 $\overline{AL} = \overline{Aluminum}$ G = GlassP = Polystyrene


S = Steel

W = Wood

8. Door(s) shipped not attached to cabinet

* Special Order







announce all visitors with style.


Range Hoods



complement your decor while ventilating your kitchen.



Heaters add warmth in drafty areas. Home Ventilation



foggy windows and steamy mirrors.



Ceiling Fans circulate air and add

drama to rooms.



Medicine Cabinets reflect your good taste while adding extra



Attic Fans control temperatures in non-vented areas.



Indoor

Air Quality for a fresher, cleaner environment. I Ironing Centers simplify pressing



with fold away convenience. Trash Compactors



minimize the waste.

Sensonic Home Theater



surrounds you with beautiful music.



Intercoms

let you communicate with the push of a button. Central Vacs for guiet performance



with optimum cleaning. Throughout our full line of products.



Broan, P. O. Box 140, Hartford, WI 53027 • 800-558-1711 • www.Broan.com NuTone, Inc., 4820 Red Bank Road, Cincinnati, OH 45227 • 888-336-3948 • www.NuTone.com In Canada call 888-882-7626

